AMBULANCE CATALOGUE

OF THE

BE READY

AMBULANCE, FIRST AID & SURGICAL EMERGENCY APPLIANCES

FOR WORKSHOPS, COLLIERIES, etc.

(SECOND EDITION)

BRADY & MARTIN Ltd.

NORTHUMBERLAND ROAD

NEWCASTLE-UPON-TYNE

Telegrams:
MARTIN, NEWCASTLE-UPON-TYNE.

Telephones:
Newcastle, Central 5168, 5169

JOHN BELLOWS, GLOUCESTER 29813

INTRODUCTION

THE importance of being in a position to render efficient "First Aid" in all injuries of whatever degree, pending the arrival of a Doctor, is now recognised by all classes of people, and never before has so much attention been given to this subject. So much is this the case that in certain occupations where the risks of accident are supposed to be exceptionally great, it is now **required by law** that specially fitted **Ambulance Outfits** and in large works adequately furnished **Ambulance Rooms** shall be provided for the benefit of the Workers. What, therefore, great numbers of employers and others had previously provided voluntarily on the dictates of humanity and expediency is now, in many instances, demanded by Government Regulations and it behoves all employers to see that appropriate provision is made to meet these Regulations.

This booklet contains illustrations and descriptions of various appliances and outfits designed for such requirements, and gives a variety of other particulars which will enable those interested in Ambulance and First Aid work to make a selection. As all experienced ambulance workers will realise, an essential feature of First Aid is that only those things should be done which are strictly necessary on behalf of the patient until proper medical help can be secured. In all, except the most trivial injuries, much harm may result from attempting to elaborate treatment beyond what properly belongs to the province of First Aid to the injured.

In addition to Ambulance and First Aid requisites, protective appliances are also shown, such as Respirators and Goggles, which are of the utmost value for workmen exposed to fumes, the glare of furnaces, etc., in their occupation.

All the various outfits, appliances, etc., described in this list, together with anatomical diagrams, models and bones, for demonstrating to ambulance classes, can be inspected at our Northumberland Road establishment, **and those interested in ambulance work in all its branches are cordially invited to pay us a visit.**

BRADY & MARTIN Ltd.
Northumberland Road
NEWCASTLE-UPON-TYNE.

1924.

COMMERCIAL
General Collections
P
402

22502962693

GENERAL NOTE

Stretchers, Splints, and many other Ambulance requisites are made by Brady & Martin in the Workshops at Northumberland Road, where are also their Laboratories for the manufacture of all medicinal preparations.



View of Surgical Workshop, showing grinding wheels, etc.



View of Surgical Workshop, showing forge, etc.

In addition to the work detailed above Brady & Martin fit and repair at Northumberland Road, artificial limbs, leg irons, surgical boots, trusses, belts, elastic stockings, spinal supports, and all kinds of appliances for deformities and weaknesses arising from accidents or otherwise.

It should be noted that artificial eyes and spectacles are supplied at Brady & Martin's special Optical Department, 29, Mosley Street; early closing day—Wednesday afternoons.

TERMS

PRICES.—The prices in this catalogue are **net** and are subject to alteration without notice.

DELIVERY.—All goods, are delivered free by motor van on our usual routes, and empties can be collected at the same time. Carriage is paid by rail or carrier on orders of £3 to the Tyne, Wear and Tees areas and Cumberland, and on £4 to any other part of the country.

PACKING.—Great care is taken in the packing of all goods, especially glass, and **no responsibility can be accepted for breakage in transit.** Packages should be signed for as **not examined** and should be unpacked immediately to enable a notice to be sent forthwith to the carriers and to us in the event of any breakage or loss.

RETURNS.—All packages and supplies for return should be despatched fully consigned, carriage paid, to our address, as promptly as possible with the name and address of the sender securely attached. A detailed advice note should be posted to us at the same time. Returns are allowed for in full only if received, carriage paid, in good condition.

CONTENTS

AMBULANCE & FIRST AID APPLIANCES .. .. **Pages 1 to 7**
Pocket, Home, Motor, Schools, Sports, Works, Factories, Welfare, Travellers.

AMBULANCE BANDAGES & DRESSINGS .. .. .. „ **7 „ 13**
Bandages, Be Ready Caddies, Plasters, Lints, Wools, etc.

DRUGS FOR AMBULANCE WORK .. .. „ **12 „ 13**

AMBULANCE INSTRUMENTS & SUNDRIES .. .. „ **14 „ 19**
General Instruments, Eye Appliances, Bowls, Measures, etc.

AMBULANCE ROOM & FURNITURE .. .. „ **19 „ 25**
Sinks, Tables, Sterilizers, Couches, Hot Water Bottles, etc.

AMBULANCE SPLINTS .. .. „ **25 „ 26**

STRETCHERS & AMBULANCES .. .. „ **27 „ 28**
Carrying and wheeling.

BREATHING & OXYGEN REVIVING APPARATUS .. „ **29 „ 32**
Safety Belts and Slings.

RESPIRATORS .. .. „ **32 „ 35**
For protection in all Industrial Occupations

DIAGRAMS, LANTERN SLIDES & MODELS .. .. „ **35 „ 38**
For Ambulance lectures and Home study.

ARTIFICIAL LIMBS .. .. **Inside back cover.**

HOURS OF BUSINESS

Northumberland Road.

8.30 a.m. to 6.0 p.m. .. .. **Mondays to Fridays.**
8.30 a.m. to 1.0 p.m. .. .. **Saturdays.**

View of Surgical Instrument Room, Northumberland Road.

AMBULANCE AND FIRST AID OUTFITS.

Brady & Martin's Outfits containing selections of suitable material for the treatment of minor accidents and emergencies, and rendering First Aid in more serious cases are a great convenience and advantage to all concerned. These outfits fall into two classes, those which are intended more particularly for personal and domestic use, or for other special circumstances noted in the descriptions, and those which are designed to meet the Regulations of the Home Office authorities in connection with certain specified industrial pursuits, e.g., Coal Mining, Factory Work, etc.

A 1

A 2

A1 **Pocket First Aid Case,** containing 2 Bandages with Safety Pins, Boric Lint, Cotton Wool, Plaster Strapping, Court Plaster, Antiseptic Cream, Capsules of Aromatic Ammonia, Camel Hair Brush, with directions for use.
Size, 4″×3″×¾″. Price, **2/6**

A2 **Home First Aid Case, No. 1,** containing 2×6 yard Bandages, with Safety Pins, Compressed Boric Lint, Compressed Cotton Wool, Compressed Antiseptic Gauze, Waterproof Covering, Gauze and Wool Sponges, Forceps, Scissors, Camel Hair Brush, Plaster Strapping, Court Plaster, Antiseptic Cream, Capsules of Aromatic Ammonia, Solution for Burns, Antiseptic Solution, Sal Volatile, with directions for use.
Size, 6″×3″×3″. Price, **7/6**

A3 **Home First Aid Case, No. 2,** containing eight 6 yard Bandages, Cartons of Boric Lint and Cotton Wool, Waterproof covering, Forceps, six Sterilized Burn Dressings, Sticking Plaster, large tin Boric Acid Powder, bottles of Sal Volatile and Antiseptic Solution, Capsules of Aromatic Ammonia, with directions for use, complete in japanned tin case, size, $8\frac{1}{2}'' \times 4\frac{1}{2}'' \times 2\frac{1}{4}''$ **15/–**

Dressing Scissors, **2/6** extra.



A 4

A4 **Motor First Aid Case,** containing Antiseptic Gauze, Boric Lint, Wool, Roller Bandages, Reel of Sticking Plaster, Scissors, Forceps, Safety Pins, Sal Volatile, Boric Acid Ointment, Septophon Cream, Medicine Tumbler and Measure in case. Complete in japanned tin case, $8'' \times 6'' \times 2\frac{3}{4}''$ with simple fastening, and handle on back **25/–**

A5 **Motor First Aid Case,** of similar general design to A4, but larger and containing all the dressings in compressed form to save space; complete in japanned tin case, $9\frac{3}{4}'' \times 6\frac{1}{4}'' \times 3\frac{3}{4}''$ .. .. Price **40/–**

A6 **Schools First Aid Case.** This contains a good quantity of a varied selection of sterilized dressings, suitable for emergency treatment of all simple injuries, e.g., abrasions, burns, cuts, eye injuries, etc., the packets of dressings having instructions for use printed on them. It also contains Boric Ointment, Iodine Solution, Sal Volatile, Traumugiea, Medicine Tumbler, Splints, Camel Hair Brush and Scissors, complete in japanned case, $19'' \times 8'' \times 3''$ .. .. Price **35/–**



A 7

A7 **Sports First Aid Case.** This contains an adequate supply of Sterilized Dressings, Eye Pads, etc., Roller and Triangular Bandages Reel of Strapping, Splints, Embrocation, Iodine Solution, Sal Volatile, Septophon Cream, Camel Hair Brush, Scissors, etc., complete in japanned case, $19'' \times 8'' \times 3''$ .. .. Price **37/6**

CONTENTS :—

Forceps
Scissors
Safety Pins
Medicine Glass
Spatula
Carbolized Vaseline
Picric Solution
Sal Volatile
Tinct. of Iodine
Traumugiea
Smelling Salts
Dermo-Celloid

CONTENTS :—

Splints with zinc sockets
Cotton Wool (compressed)
Boric Lint ,,
1″ Bandages (compressed)
1½″ ,, ,,
2″ ,, ,,
2½″ ,, ,,
Triangular Bandages
Tampons
Roll of Adhesive Plaster
Foulis Tourniquet
Porcelain Dish
Camel Hair Brush

A 8

A8 **" Attache " First Aid Box.** This box is designed upon the suggestions of a gentleman of very wide experience in ambulance work. It is made in the most portable form possible, and is therefore specially suited for " street " and " field " work, and contains all the essentials for " First Aid " under such conditions. The Bandages, Boric Lint, Cotton Wool, etc., are supplied in a compressed form, thereby enabling a considerable amount to be placed in the small compass of the box. At the same time this form of supplying dressings, etc., ensures their being always found in the cleanest possible condition, *no bandage or dressing being exposed until actually required for use.* Each article being in its own separate compartment enables the operator to see at once if anything is missing.

The exterior of the metal case is enamelled black and the interior white. When open, the front provides a clean and ready " table," the wired edge preventing the bandages and other articles in use from rolling off. Size, 16½″ × 11½″ × 3½″ ; approximate weight, 11½ lbs. Price **90/–**



A 9

A9 **BE READY Ambulance Box,** designed for use in small workshops. It contains square glass stoppered bottles, each 3 oz. capacity, filled with Iodine Solution, Picric Solution, Traumugiea (*see page* 13,) Lead and Opium Lotion, Sal Volatile, Eye-drops, Eczema Ointment, Medicine Glass, Set of Splints, Lint, Boric Lint, Dressing Scissors, Forceps, Triangular Bandage, Cotton Roller Bandages, Cotton Wool supply of Sterilized Dressings, Safety Pins, Sticking Plaster, Splints, Tourniquet, Knife.

Complete in polished wood case, size, 16″ × 8½″ × 6″, with leather strap for carrying .. .. Price **50/–**



A 10

A10 Be Ready Standard Ambulance Outfit, complete in strong polished wood case, with hinged folding front, painted and varnished and marked with white cross on lid, with strong leather strap for carrying attached at the sides by means of substantial brass fastenings. The stoppered bottles are square instead of the usual round shape, and fit in partitions provided for them. The dressings are in specially made waterproof bags with bold distinctive labels. The quantities of material being much larger than is usually supplied in such outfits, frequent renewals are not necessary.

Contents :—

Bandages, assorted sizes
Cotton Wool, antiseptic, absorbent
" " plain
Lint
Sterilized Dressings
Sticking Plaster
Web Straps with Buckles
Splints
Tourniquet
Safety Pins
Scissors
Knife
Forceps
1 Bottle Picric Solution
1 Bottle Lead and Opium Lotion
1 " Traumugiea, see page 13.
1 " Iodine Solution
1 " Smelling Salts
1 " Sal Volatile
Grad. Medicine Tumbler

This box contains all the necessaries for rendering " First Aid " to the injured and is a valuable outfit for giving emergency treatment on Farms and in Quarries, and under other isolated conditions of labour, where accidents, etc., are not infrequent.

Size 21" × 11" × 8" .. .. Price **75/–**



A 11

A11 Be Ready Ambulance Wall Cabinet. This Cabinet has been specially designed so that the " First Aid " Attendant can see at a glance where

every article is, nothing whatever being hidden from view. A good supply of dressings, bandages, etc., is provided, and re-fills can always be had from us by return. The contents of the Case are as follows :—

Absorbent Cotton Wool, Sublimate Wool, Absorbent Lint, Boric Lint — Each in our Registered Be Ready Caddy, see page 10
Roller Bandages, assorted
Triangular Bandages
Adhesive Plaster
Set of Splints, 8 sizes
Medicine Glass
Scissors
Forceps
Knife
Web Straps
Tourniquet
Soap in Case
Sponge
Hank of Tape
Pot of Vaseline
„ Boric Ointment
Smelling Salts
Sal Volatile
Iodine Solution
Picric Solution
Traumugiea
Lead and Opium Solution
Dermo-Celloid

The Cabinet is made of stout polished mahogany, the interior being enamelled white throughout. It has two glass doors, with catch.

Size, 27″ × 24″ × 6″ .. .. Price **110/–**

Lock and Key for above Cabinet, extra.



A 12

A12 Deputy Ambulance Box, size 16″ × 6½″ × 4⅛″, metal, enamelled white inside and black outside, with hinged lid and carrying strap.

This was designed to comply with the General Regulations under the Coal Mines Act, which came into force on September 15th, 1913. No quantities are specified in the paragraph, but the box contains reasonably large supplies of the various items. It is suggested that it be kept at a convenient place in the district of each fireman, examiner, or deputy in the Mine. Contents :—

Set of Extension Splints for leg and arm
Bandages, each wrapped in waterproof covering
Adhesive Plaster, 10 yards, ½ in. wide
Boric Ointment in glass vessel with screw lid.
Cotton Wool in enamelled metal box
Safety Pins, Scissors
Large square bottle of Traumugiea

Price, **30/–**

A13 Deputy's Leather Pouch, containing a small quantity of compressed dressings, Iodine Ampoules, and Scissors. It is fitted with loops for carrying in the waist belt, size, 5″ × 3½″ × 1¾″ .. .. Price **11/6**

FACTORY AND WORKSHOP WELFARE.

Orders issued by the Secretary of State require the supply of adequate First Aid and Ambulance Appliances in all factories including the following : Blast Furnaces, Copper Mills, Iron Mills, Foundries, Metal Works, Chemical Works, and all other industrial concerns where the employed persons are liable to accidents in the execution of their duties.

Brady & Martin supply all outfits to meet such orders. The following are specially designed for the purpose, and are more suitable in many instances than those described in the preceding pages. The main outlines are detailed in the large case illustrated on the next page, but the smaller ones are on the same lines, and any can be modified to suit the special requirements of particular occupations. A14 is appropriate for use among Metal and Wood Workers, in Chemical Works, Hide and Skin Factories, etc. A15 is suitable for the same groups employing a smaller number of people, and A16 is suitable for use in Laundries, etc.

See next page.



A14 Factory First Aid Case. This is a strong case of polished wood with a white cross on a red ground painted on the front of the let-down cover. The case is furnished with an ample supply of medicaments, dressings, etc., to comply with the requirements generally demanded, and to enable emergency treatment to be carried out on the lines laid down in the **Official Circular 923,** a copy of which is supplied with each Box.

The contents are as follows :—

Collodion	Camel Hair Brushes	Sterilized Cotton Wool
Eye Drops, No. 1	Safety Pins	„ Eye Pads
„ „ No. 2	Strapping	Bandages, triangular
Solution of Iodine	Sterilized Dressings, finger	Dressing Scissors
„ „ Picric Acid	„ „ small	„ Forceps
Ointment	„ „ large	Spatula for Ointment
Sodium Bicarbonate	„ „ Burn, assorted	Notice Card

Size of Case, 19½″ wide by 14″ high by 5½″ deep .. .. Price **70/–**

A15 Factory First Aid Case, 14″×9″×5″, see note, page 5 .. .. **42/–**

A16 Ditto ditto 9½″×7″×5″, ditto **30/–**



A 17

A17 First Aid and Medicine Case, consisting of strong japanned metal case, 11″×7½″×3¼″, with 14 phials to contain drugs in pill and tablet form, and space for a supply of compressed First Aid dressings and instruments.

The contents can be varied at will, but the following selection recently supplied for use in British East Africa will serve as a guide to what may be useful :—

Aperient Pills	Salicin	Plaster
Bismuth et Sodii	Salol	Safety Pins
Calomel	Sublimate Lotion Tablets	Silk Worm Gut
Cret. Arom. c. Opio	Bandages and Safety Pins	Catgut
Dover's Powder	Antiseptic Gauze	Needles
Hypophosph Co.	Boric Lint	Forceps and Scissors
Antipyrin et Caffein	Absorbent Wool	Snake Bite Outfit

Price, **90**/–

This or similar cases can be supplied to suit the needs of Prospectors, Engineers, working parties, or others travelling in regions beyond the reach of ordinary medical assistance ; for instance we have just supplied a number of outfits specially for use on the branch workings of an oil field in Burmah. Suggestions and prices for such equipments for workers in any part of the world can be given on application.

A 18

AMBULANCE BANDAGES AND DRESSINGS

A18 Bandages. Cotton Roller, white open wove, **best quality,** in paper parcels containing one dozen 6-yard bandages in each.

Width	1	1½	2	2½	3	4	6 ins.
Price	**2**/–	**2**/**9**	**3**/**10**	**4**/**6**	**5**/**6**	**7**/**4**	**11**/**6** doz.
,,	**22**/–	**31**/–	**43**/–	**52**/–	**64**/–	**86**/–	**135**/– gross

A19 Bandages. Cotton Roller, white, open wove, second quality, in paper parcels containing 1 dozen 6-yard bandages in each.

Width ..	1	1½	2	2½	3	4 ins.
Price ..	**1**/–	**1**/**6**	**2**/–	**2**/**6**	**3**/–	**4**/– per parcel
,, ..	**10**/–	**15**/–	**20**/–	**25**/–	**30**/–	**45**/– per doz. parcels

Orders for 5 gross assorted bandages at **1**/- *per gross less.*

A 20

A20 Bandages, Calico, triangular, figured .. .. .. per doz. **10**/–
A21 ,, ,, ,, plain, best quality .. ,, **8**/–
A22 ,, ,, ,, ,, second quality ,, **4**/**6**
A23 ,, Flannel, 6″ wide, **2**/**6** each ; **28**/– per dozen.

A24 ,, Geneva Crêpe, elastic without rubber, light and porous. Washable

Width ..	2	2½	3	4	6	8 ins.
Price ..	**2**/**9**	**2**/**10**	**3**/–	**3**/**9**	**6**/**6**	**7**/**9** each

A25 Bed Sheeting.
36″ wide, **single** proof, **4**/**6** per yard ; **double** proof, **6**/**6**
54″ ,, ,, ,, **7**/**6** ,, ,, ,, **10**/–
Special Red, double proof, 45″ wide, **9**/**6** per yard.

Coverings.

A26 Battiste, white, **5/9** per yard ; 6 yards at **5/8** per yard.

A27 Bilroth's Covering, **3/6** per yard ; 6 yards at **3/5** per yard.

A28 Gutta Percha Tissue, best quality, **3/–** per yard ; **33/–** per lb. (12 yards)

A29 ,, ,, ,, second ,, **2/6** ,, ,, **29/–** ,,

A30 Jaconet, white, **5/6** per yard ; 6 yards at **5/5**

A31 ,, pink, **5/6** ,, 6 ,, **5/5**

A32 Oiled paper, **3d.** per yard ; 12 yards at **2d.** per yard.

A33 Oiled Silk, best Green, in boxes, each containing 1 sq. yard, **5/–** per box

A34 ,, ,, Opal ,, ,, ,, ,, **4/–** ,,



A35 Compressed Gauze, in 1 yard packets, plain, double cyanide or sublimate .. per doz. **6/–**

The Size of the packet, $2\frac{1}{2}'' \times 1\frac{1}{4}'' \times 1\frac{1}{2}''$, makes it extremely convenient for emergency dressings.

Gauzes.

		per 6 yd. packet.	per doz. packets	per 1 yd carton
A36	Absorbent	**1/6** ..	**16/6** ..	**5/6** doz.
A37	Boric	**1/11** ..	**22/–** ..	**6/–** ,,
A38	Carbolic 5%	**1/11** ..	**22/–** ..	**6/–** ,,
A39	Double Cyanide 3% ..	**1/11** ..	**22/–** ..	**8/–** ,,
A40	Iodoform 10%	**3/1** ..	**34/–** ..	**8/–** ,,
A41	Picric	**1/11** ..	**21/–** ..	
A42	Sal. Alembroth	**1/11** ..	**21/–** ..	
A43	Sublimate	**1/11** ..	**22/–** ..	**6/–** ,,

A44 Absorbent Gauze in 100 yard rolls, **20/–** per roll.

,, ,, ,, ,, **15/–** ,, (hospital quality).

Lints.

		1 lb.	7 lbs.	28 lbs.
A45	Plain, best Surgeon's	**4/–** ..	**3/11** ..	**3/10** per lb.
A46	Plain, Hospital ..	**3/7** ..	**3/6** ..	**3/5** ,,
A47	Boric	**2/8** ..	**2/7** ..	**2/6** ,,
A48	Picric	**3/4** ..	**3/3** ..	**3/2** ,,

A49 Compressed Boric Lint, in 1 oz. packets ; Size of packet, $2\frac{1}{4}'' \times 1\frac{1}{4}'' \times 1\frac{1}{8}''$, **4/9** per dozen.

Ditto in 2 oz. packets, .. **9/6** ,,

A50 Compressed Lint, plain, in 1 oz. packets, **6/–** per dozen.

Ditto, plain in 2 oz. packets, **10/6** ,,

A51 **Splint Padding,** 3 yard packets, **3/–** per packet.

A52 **Splint Wool,** grey non-absorbent, 1 lb. pkts., 1 lb., **1/8** ; 7 lbs., **1/7** ; 28 lbs., **1/6**

A53 **Tow,** Surgeon's, 1 lb. pkts., **10d.** ; 7 lbs. at **9d.** ; 28 lbs. at **8d.**

A54 ,, Carbolic, 1 lb. pkts., **1/2**

Wools, Absorbent.

		1 lb.	7 lbs.	28 lbs.	
A55	Finest Superior .. .. .. (for special purposes)	**3/4**	—	—	
A56	Superior, Surgeon's	**2/4**	**2/3**	**2/2**	
A57	Surgeon's No. 2	**1/8**	**1/7**	**1/6**	special price for cwt. lots.
A58	Boric	**3/–**	—	—	
A59	Carbolic	**3/–**	—	—	
A60	Sublimate	**3/–**	—	—	

A61 **Compressed Absorbent Wool,** in 1 oz. packets ; Size of packet, $1\frac{5}{8}'' \times 1\frac{3}{8}'' \times 1\frac{1}{4}''$ **4/6** per dozen
Ditto, in 2 oz. packets **9/–** ,,

A62 **Standard Emergency Dressing No. 1, 3/3** per doz. ; **36/–** per gross.

Each contains antiseptic gauze, absorbent wool and bandage, with instructions for use.

A63 **Standard Emergency Dressing No. 2, 4/6** per doz. ; **52/–** per gross.

Each contains Boric lint, absorbent wool, protective covering and bandage, with instructions for use.

LIST OF RE-FILLS FOR " BE READY " CADDIES

A64	Absorbent Gauze	**2/6** per roll		
A65	Absorbent Lint	**2/–** ,,	**23/–** per doz.	
A66	Boric Lint	**1/4** ,,	**15/–** ,,	
A67	Carbolic Wool..	**2/–** ,,	**22/–** ,,	
A68	Cotton Wool, Absorbent	**1/–** ,,	**11/–** ,,	
A69	Cyanide Gauze	**3/–** ,,		
A70	Iodoform Gauze	12-yard rolls,	**5/6** each	
A71	Adhesive Plaster on Holland	6-yard ,,	**7/4** ,,	

To prevent confusion with ordinary dressings, when ordering the above please state " Be Ready Re-fills."

For Caddies and Cabinets, see next page.

THE BE READY CADDY

For Lint, Plasters & Dressings

CLEAN, ECONOMICAL, SAFE & EXPEDITIOUS IN USE

THE
BE READY CADDY
FOR
LINT, PLAISTERS, & DRESSINGS.
CLEAN ECONOMICAL SAFE EXPEDITIOUS
DIRECTIONS FOR USE.
When the supply of dressing is exhausted lift the brass rod by pulling it upwards through the slot. Put the brass rod through the centre of the refill, insert one end into the circular hole and press the other end down into the slot.
Made by the Parentrees,
BRADY & MARTIN, LTD NEWCASTLE ON TYNE.
Regd No 606201
Brady & Martin Ltd
ABSORBENT LINT

In this caddy the rod which carries the Roll is kept in position at the bottom of a slot by a spring plate, which, whilst retaining the rod securely, allows of fresh supplies of dressing being easily placed in the box.

A72 Caddy, Size $9'' \times 3\frac{3}{4}'' \times 3\frac{3}{4}''$ .. .. Price, **2/6** each



A73 **Mahogany Cabinets,** French Polished, to hold 4 Caddies .. each **10/6**
Size, $9\frac{5}{8}''$ high, $9\frac{3}{8}''$ wide, $10\frac{1}{4}''$ back to front.

A74 **Black Japanned Metal Cabinets,** to hold 4 Caddies .. „ **10/6**

A75 „ „ „ „ „ 6 „ .. .. „ **17/6**

STERILIZED DRESSINGS FOR AMBULANCE WORK.

The Surgical dressings already described have their proper sphere of usefulness which is sufficiently obvious, but special precautions must be observed in the preparation of dressings for immediate application to injuries of whatever degree. If the injuries are of a minor character these dressings, properly applied, prevent infection of the wounds in most cases, and if the injury is more serious, their application provides a measure of safety until the patient can be removed to the ambulance room, or treated by a medical man. The dressings found in the following list have been subjected to heat sufficient to destroy germs and are sealed up to keep them surgically clean.

A76	Finger Dressings (Gauze)	1/1 per doz.	10/6 per gross
A77	,, ,, (Lint)	1/1 ,,	10/6 ,,
A78	,, Tip Dressings	1/3 ,,	12/6 ,,
A79	Small Wound Dressings	1/10 ,,	18/6 ,,
A80	Large ,, ,,	3/4 ,,	36/– ,,
A81	Extra Large Wound Dressings	4/9 ,,	54/– ,,
A82	Finger Burn Dressings	1/3 ,,	12/6 ,,
A83	Small Burn Dressings	2/2 ,,	22/6 ,,
A84	Large ,, ,,	3/4 ,,	36/– ,,
A85	Extra Large Burn Dressings	5/6 ,,	62/6 ,,
A86	Eye Pads	3/1 ,,	33/– ,,
A87	Large Cotton Wool	1/2 ,,	11/6 ,,
A88	Extra Large Cotton Wool	1/8 ,,	16/6 ,,
89	Lint	2/4 ,,	25/– ,,

A 90

Brady & Martin's Adhesive Plaster. A pliable, self-adhesive non-irritating plaster spread on strong cotton cloth. It is applied without heat or moisture, the ordinary temperature of the body being sufficient to ensure firm adhesion. It is supplied in 10-yard and 5-yard rolls, and is the style of plaster most generally used in ambulance work, and the following are the usual sizes asked for.

	Width	½	1	1½	2 in.
A90	Price, 10-yd. rolls	2/–	2/6	3/6	4/4 each
A91	,, 5-yd. ,,	1/2	1/6	2/–	3/– ,,

Waterproof Plaster. This is supplied in rolls of the same pattern as the above and it is used to cover up the first aid dressings in the case of injuries in Dyeing, Tanning and other occupations where chemicals and solutions are employed which might penetrate the ordinary dressings and do harm to the wound.

A92 Price, in 5-yard rolls, ½″, **2/–**; 1″, **3/3**

A93 Adhesive Plaster, in circular tin, with lid, 1 yard lengths, ½″ wide, **2/9** doz.; 1″ wide, **4/–** doz.

A94 Transparent Skin Plaster, 1 yard rolls, 6″ wide, in cardboard box, **5/3.**

A95 Bandage Winder, adjustable, and clamping to table. A convenient and simple apparatus for re-winding used bandages that have not been soiled, or for winding strips of calico into bandages of convenient width .. Price, **5/–**


A 95

DRUGS FOR AMBULANCE WORK

LOTIONS, MIXTURES, OINTMENTS, POWDERS, SOLUTIONS, Etc., are all manufactured in our own laboratories.

Acetic Acid, Dilute	per lb.	8d.
Ammoniated Quinine and Cinnamon	,,	6/–
Ammonia Solution	,,	8d.
Antithermol, see p. 13		
Boric Acid Powder	,,	1/1
Boric Ointment, white	,,	1/6
,, ,, yellow	,,	1/–
Camphorated Oil	,,	2/6
Carbolic Lotion, 1 in 20	,,	6d.
,, **Oil**	,,	1/6
,, **Acid,** Pure	,,	2/8
,, **Acid,** Commercial	per gal.	7/6
,, **Ointment**	per lb.	1/6
Carron Oil	,,	10d.
Castor Oil, finest	,,	1/-
Chrome Eczema Ointment, for bichromate workers, form 398	per jar	1/6
Collodium Flexile Meth.	per lb.	4/–
Condy's Fluid	per bot.	1/6
Dermo-Celloid Antiseptic	,,	1/6

A liquid Court Plaster for slight abrasions, cuts, etc., and the deep cracks and fissures so troublesome in cold weather.

Embrocation—	per lb.	2/6

For sprains, bruises, stiffness of joints and muscles after severe exertion.

Ether Soap, Antiseptic	per lb.	5/–
Eye Solution No. 1	per bot.	1/6

An antiseptic solution of cocain procurable only with an official order, and must be in charge only of an authorised person.

Eye Solution, No. 2, for acid burns	,,	1/6
Friars' Balsam	per lb.	6/–
Germophon. see p. 13		
Ginger Essence	,,	8/6
Hydrogen Peroxide Solution, 10 vol.	,,	10d.
Iodine Solution	,,	6/–
Izal, Jeyes' Fluid, etc. We suggest the use of **Sanitary Germophon,** see next page.		
Lead and Opium Lotion	,,	1/–
Lime Water	,,	6d.
Mixture, Antidiarrhœa—B. of T.	,,	4/–
,, **Carminative**—ginger, peppermint, etc.	,,	2/–
,, **Chalk**—mist. cretæ	,,	1/–
,, **Gas**—for gassed workers, form 395	,,	2/6
Olive Oil	,,	1/–
Paraffin No. 7, for Burns	per cake	9d.
Petroleum Jelly, white	per lb.	1/3
,, ,, yellow	,,	9d.
Picric Acid Solution, for Burns	,,	1/–
Sal Volatile	,,	5/–
Septophon Cream, see p. 13		
Septophon Dusting Powder	per tin	1/3

An antiseptic powder of exceeding smoothness. A boon to those who wear trusses.

Smelling Salts	per bot.	1/6
Soap, Carbolic, Medical	per tablet	6d.
,, ,, for scrubbing	per bar	8d.
Soda Bicarbonate, for acid burns	per tin	6d.
Traumugiea, see p. 13		
Turpentine, B.P.	per lb.	1/6
Zinc Ointment	,,	1/6
,, **and Boric Ointment**	,,	1/6
,, **and Carbolic Ointment**	,,	1/6

ANTITHERMOL. A soft, non-greasy, non-irritating and harmless material for external application. It is designed to supersede the common linseed meal poultice, and is suitable under all conditions where formerly these poultices would have been used. Full instructions for use are given on the label of each tin.

Price, in tins holding ½, 1 and 2 lbs., at **1/9**, **3/6** and **6/9** each.

GERMOPHON (Regd). Medical, is composed of a specially selected mixture of Cresols in solution with a neutral potassium soap. Germophon, Medical, is a useful and reliable antiseptic for general ambulance purposes.

Some of its advantages are as follows :—It is substantially less poisonous than mercury solution tablets ; it forms a clear solution in water ; in its diluted state it is not caustic to the hands ; it does not attack steel instruments ; it does not injure clothing and linen goods in the process of disinfecting ; Germophon penetrates and thoroughly destroys all bacteria ; and finally Germophon, by its solvent action, facilitates the cleansing of bowls and other instruments used in the Ambulance Room.

In	8	16 and	32 oz. bottles.	1 gall. tins.
Price	**10d.**	**1/6** ,,	**2/6** per bottle.	**9/6** per tin.

Medical GERMOPHON is Brady & Martin's LYSOL.

Full instructions for dilution and use are given on the label.

SANITARY GERMOPHON is recommended as a general disinfectant for floors, water-closets, outhouses, kennels, etc. It is not so highly purified as the preceding, but is, nevertheless, a powerful disinfectant and has the great advantage of being less dangerous than many other substances in common use for this purpose.

8d. bottle will make 2½ galls. of disinfecting fluid.
1/– ,, ,, ,, 5 ,, ,, ,,
1/6 ,, ,, ,, 10 ,, ,, ,,

In 1 gallon tins, **7/6**

SEPTOPHON Regd
CREAM
An agreeable soothing and healing application for sensitive skins.
BRADY & MARTIN LTD NEWCASTLE-ON-TYNE

SEPTOPHON CREAM. An antiseptic and emollient ointment possessing healing and soothing properties in the itching and burning sensation of the skin in various skin affections, such as eczema, chilblains and all roughness and irritation.

In Collapsible Tubes **1/3**

TRAUMUGIEA, REGD.

An Antiseptic Solution for the treatment of all wounds, and particularly recommended as a surgically clean, healing, and sedative application for painful abrasions of the skin.



Traumugiea is supplied as such, ready for use, no further dilution being necessary—a very valuable feature in the emergency surgical treatment of wounds such as must be carried out on the spot where the injury is met with.

Traumugiea can be relied upon as an effective Wound Antiseptic, and yet is free from the poisonous properties of many of the Antiseptic Solutions in common use.

Traumugiea can be used freely, warm or cold, for bathing any skin wound, and in many painful superficial wounds is found to have a distinctly soothing effect.

Traumugiea, as a convenient, safe and efficacious remedy for wound treatment, should find a place in the Ambulance Box or Dressing Station of all Collieries, Workshops, and Factories where First Aid to the injured has to be rendered from time to time.

Traumugiea is supplied as follows :—

In bottles, 4 oz., 9d. ; 8 oz., 1/1½ ; 16 oz., 2/– ; 32 oz., 3/6 each.
Also in ½ Gallon and 1 Gallon containers at 7/6 and 13/6 each.

AMBULANCE INSTRUMENTS AND SUNDRIES

The following is a small selection of those commonly required in ambulance work, but a large assortment of all kinds of surgical instruments is always kept in stock from which a further selection can be made.



A 96

A96 **Artery Forceps**, with screw joints 4/-



A 97

A97 **Dissecting Forceps,** best quality 2/6
A98 **Ditto** second quality 1/6

A 99

A99 **Splinter Forceps** 1/6



A 100

A100 **Sinus Forceps** 4/6



A 101

A101 **Dressing Scissors,** best quality .. .. .. 5″, 4/6 ; 6″, 5/6
A102 **Ditto** second quality .. .. .. „ 2/6 ; „ 3/6

Sharp pointed scissors at same prices.



A 103

A103 **Ambulance Scissors,** extra strong 3/6
A104 **Knife,** spring back, strong for cutting splints 2/6



A 105

A105 Spatula, German silver, plated **1/3**
A106 Ditto, rustless steel, wood handle, 3″ blade **2/6**



A 107

A107 Tongue Depressor, metal .. **2/9**

A108 Wood Tongue Depressors, box of 8 doz. with simple metal handle per box **4/6**



A 109

A109 Silver Probes, sharp pointed or eyed .. .. .. each **1/3**
A110 Suture Needles, in packets of six, curved, half curved, or straight per pkt. **1/6**
A111 Safety Pins, best quality .. .. per doz. **9d.**
A112 Ditto, second quality .. .. ,, **3d.**
A113 Catgut Sutures, sterilized, in tubes .. .. .. per tube **1/–**
A114 Silkworm Gut, Sutures, in boxes of 50 .. .. per box **2/6**
A115 Thermometers, clinical, ordinary .. .. each **2/–**
A116 Ditto ditto, ½ min.: .. .. ,, **2/3**
A117 Ditto ditto, ,, with magnifying index .. ,, **2/9**
A118 Ditto room, boxwood, with mercury column .. ,, **2/6**

A 119



A 120



A 121

A119 Esmarch's Tourniquet, best rubber, with hooks and chain .. **5/6**
A120 Foulis's Ditto ditto .. **3/–**
A121 Petit's Tourniquet, consisting of brass frame, web strap and pad with screw compressor **8/6**

1 oz. size, **8d** ea.
2 oz. ,, **9d** ,,
3 oz. ,, **10d** ,,
4 oz. ,, **1/-** ,,

A 122

A122 Octagonal Glass Dredgers, with metal screw caps.

A123 Simple Dredgers, lacquered tin, **6d.** each ; **4/6** doz.

These dredgers are very convenient for use with Boric Acid, Bicarbonate of Soda or other dusting powder.

A 124

Eye Injuries. All cases of eye injury or foreign body require great care in treatment. There should be no rough handling and all cases of difficulty should be referred to the Medical Officer.

A124 Eye Baths, plain or coloured .. **6d.** each ; **5/6** doz.

A125 Eye Shades, right and left .. **6d.** each ; **5/6** doz.

For sterilized eye pads, see page 11.

A 126

A 127



A 128

A126 Eye Spray, complete with double rubber bellows **5/–**

A127 Eye Syringe, all rubber .. .. .. 1 oz., **1/3** ; 2 oz. **1/6**

A128 Eye wash bottle, flexible union in outlet pipe **1/9**



A 129

A129 Eye Pipette, with I.R. cap .. .. **4d.** each ; **3/–** doz.

A130 Camel Hair Brushes .. .. **1d.** ,, **9d.** ,,



A 131

A131 Double Eye Instrument, for removing foreign bodies, to be used with care **5/6**

If a piece of steel or other foreign body is stuck in the eye, the eye should be lightly bandaged and the person taken to a Doctor.



A 132

A132 Eye Magnet, in case **2/6**

A133 Ditto simple form without case **1/3**

These magnets are only of use for the removal of loose bits of iron or steel.

For eye solutions, see page 12.



A 134



A 135



A 137

A134 **Adjustable Magnifier,** mounted on spring clip, which can be attached to the thumb or a finger, and used for various little examinations, while the hand is free to hold some other instrument in addition .. **12/6**

A135 **Glass Jar** for dressings, etc., in use, $8'' \times 5\frac{1}{2}''$ **7/6**

A136 **Ditto** $11'' \times 5\frac{3}{4}''$ **9 6**

A137 **Lotion Reservoir** for stock lotions, about 2 gallons capacity .. **17/6**
Tubing and lettering extra. These can be stood on a shelf and can be used for storing strong antiseptic solutions, which can then be diluted for use as required.



A 138



A 139

A138 **Lotion Bowls,** enamelled iron, 6″, **1/3** ; 8″, **2/–** ; 10″, **3/–**; 12″, **4/–**.

A139 **Dressing Tray,** ditto, 12″ long **4/6**
A most convenient tray for use when cleaning and dressing wounds.

A140 **Instrument Trays,** enamelled iron, $10'' \times 8''$, **3/9** ; $12'' \times 10''$, **5/–**



A 141



A 142

A141 **Lotion Bowls,** enamelled iron, 14″, deep pattern, serves well as a foot bath **5/6**

A142 **Lotion Bowls,** glass, 6″ **2/6** ; 8″ **3/6**



A 143

A143 Wound Syringe, with sucker and glass conical nozzle **5/–**

This Syringe is made of the very best plain boilable red rubber. The Sucker is an immense convenience in use, serving to keep the end of the enema moored to the bottom of the lotion bowl.



A 144



A 145

A144 Arm Bath, enamelled iron, with cover **22/6**

A145 Lotion Jugs, enamelled iron, 3 pt., **3/6**; 6 pt., **5/–**



A 146



A 147



A 148



A 149

Graduated Measures, glass, for making lotions of various strengths, or measuring out medicines accurately.

A146 2-pint Jug, graduated as shown .. .. each **4/6**
A147 1-pint Measure, ditto .. .. ,, **3/–**
A148 4-ounce ditto ditto .. .. ,, **1/9**
A149 Minim ditto ditto .. .. ,, **1/–**

A 150



A 154

A150 **Feeding Cup,** glass **1/–**
A151 **Ditto** earthenware **1/–**
A152 **Ditto** earthenware, with spout **1/–**
A153 **Ditto** enamelled iron **1/6**
A154 **Medicine Glass,** marked in tablespoons and teaspoons, **1/–** each ; **9/6** doz.



A 155

A 157

A155 **Protective Gloves,** for use when dressing septic cases .. pair **2/6**
State size of ordinary glove when ordering.
A156 **Finger Stalls** .. .. doz. **2/6**
A157 **Enamelled Iron Pail,** with cane carrying handle, for soiled dressings **11/6**
A158 **Ditto,** with metal handle, second quality **5/–**

AMBULANCE ROOM & FURNITURE

An Ambulance Room should be reasonably spacious, well lighted, and so constructed as regards surface of walls and woodwork that it can readily be well cleansed in all parts ; it should be provided with a sink of good type, with hot and cold water laid on. Appropriate shelving and similar furniture of well seasoned wood finished with hard white enamel, can quite well be fitted by the works' joiner.

The following are some convenient patterns of surgical furniture and fittings for Ambulance Rooms.



A 159

A159 **Sinks, White Porcelain enamelled Fireclay,** with 6″ high back, tap holes and overflow—for Ambulance Room equipment.

For prices and fuller particulars, see next page.

Sizes and Prices.

24″×18″×10″×16″ overall, **£5 10 0**; 27″×18″×10″×16″ overall, **£6**
30″×18″×10″×16″ ,, **£6 15 0**; 36″×18″×10″×16″ ,, **£9**

A160 White Enamelled Pedestals, to carry the above 18″×15″, **22/6** each; 20″×15″, **25/–** each

A161 Taps, Gun-metal, boss and flange type with long screwed tails for the above, capstan heads and lettered "hot" and "cold" china discs, ½″ size, **17/6** the pair; ¾″ size, **30/–** the pair.

A162 Brass Tail 1½″ Union and overflow fitting with plug, chain and stay, **7/6**

A163 Loose Corrugated Teakwood Drainers, for fitting, as shown in illustration, A159, p. 19. .. .. **12/6** per super ft.



A 164

A164 Combination Sinks. White Porcelain, enamelled inside and outside fireclay, with roll edge with internal corrugated drainer.

30″×18″×9½″ deep, **£6 6 0**; 42″×21″×9½″ deep, **£10 10 0**
36″×21″×9½″ ,, **£9 0 0**; 48″×21″×9½″ ,, **£12 12 0**

A165 Extra for **high back** not more than 6″ high, 30″, **27/–**; 36″, **30/–**; 42″, **40/–**; 48″, **45/–** each.

A166 White enamelled Pedestals, to carry the same. 20″ high × 16″, **26/–** each; 20″×18″, **30/–** each.

A167 Taps, Gun-metal, hot and cold water with capstan heads with lettered discs, ½″ size, ... the pair **11/6**

A168 Heavy Cast Brass **Waste Fittings,** with Jam nuts, etc., 1¼″, **6/–** each; 1½″, **7/6** each.



A 169



A 170



A 171

A169 Simple Wash Stand, convenient for use in small Ambulance Rooms **27/6**

A170 Lotion Bowl Stand, on wheels, strong white enamelled iron with 2 bowls **59/6**

A171 Lotion and Instrument Stand on wheels, white enamelled iron with lotion bowls and instrument tray as shown; a very convenient pattern for all Ambulance rooms **65/–**



A 172



A 175

A172 Instrument Table, white enamelled steel tubing, polished plate glass shelves, on wheels, size, 18″ × 18″ × 33″ high **£4 4 0**

A173 Ditto, ditto, Size, 25″ × 16″ × 33″ high **£5 0 0**

A174 Ditto, ditto, ,, 30″ × 18″ × 33″ ,, ... **£5 17 6**

The addition of a nickel-plated rail round three sides of the top, adds **26**/– to the price in the two smaller sizes and **27**/**6** in the largest size.

The addition of two bowls on swinging brackets adds **20**/– to the price of each table.

A175 Dressing Waggon, as figure, white enamelled frame, nickel-plated rail at top, two drawers and plate-glass shelves, swing-out bowl and tray, on easy running castors. Size, 30″ long × 18″ wide × 34″ high **£9 17 6**



A 176

A176 Instrument Cabinets, white enamelled iron, with polished plate-glass shelves, etc., of varying patterns and convenient sizes are kept in stock. Size, 24″ × 18″ × 11″ as figure, with lock and key, **£5 10 0**

A177 Ditto, 18″ × 15″ × 8″ with two shelves, no lock **£2 15 0**

A178 Ditto, 20″ × 14″ × 10″ ditto **£3 10 0**

A179 Ditto, 24″ × 18″ × 11″ ditto **£4 10 0**



A 180



A 182

A180 Adjustable Stool, white enamelled iron with central screw by which it can be raised or lowered to any convenient height **35/–**

A181 Ditto, with polished wood seat **37/6**

A182 Chair, white enamelled metal back and seat **30/–**

A183 Ditto, polished wood seat **45/–**



A 184

A184 Ambulance Operation Table, all metal, white enamelled, with tubular steel frame, third wheel which can be put in and out of action by a simple mechanism, adjustable head and foot, and the central part fitted with a specially designed **hot water tank** and made to raise at the foot end. This table is of great value in helping recovery from shock after severe injuries, and its many convenient adjustments make it an extremely useful type for the more fully equipped Ambulance establishments .. **£18 10 0**

A185 Leg Supports, with leather leg pads and nickel-plated rods to fit above table .. .. per pair **45/–**

A186 Simple Ambulance Operation Table, white enamelled iron frame, without third wheel or tank, adjustable head, body and foot, made to fold up for storing away if space is limited **£10 15 0**



A 187



A 191

Water Boiler, strongly made of polished copper, tinned inside, fitted with carrying handles and draw off tap, mounted on copper base, with good gas ring for heating.

A187 3 gallon **£2 10 0**
A188 4 gallon **£3 0 0**
A189 6 gallon **£3 15 0**
A190 Primus Petroleum Vapour Lamp, suitable for heating above water boilers when gas is not available **17/6**

Instrument Sterilizers of stout metal, nickel-plated; the boiler, lid and tray are all stamped out in one piece with rounded corners. It is heated with an effective spirit lamp, but a gas burner can be supplied if desired.

A191 Size, $8\frac{3}{4}'' \times 4\frac{3}{4}'' \times 2''$ complete **27/6**
A192 ,, $10\frac{3}{4}'' \times 6'' \times 2\frac{1}{4}''$,, ... **37/6**
A193 ,, $13\frac{1}{4}'' \times 6\frac{1}{4}'' \times 2''$,, ... **47/6**



A 194

Pressure Steam Sterilizer for Dressings. A valuable piece of apparatus for use in large Ambulance Centres where many cases have to be dressed every day, and a large supply of sterilized dressings may be required. This sterilizer works under a pressure of 10 lbs. per sq. inch, a temperature of about 240°F. being obtained. It consists of a **tin lined** copper inner chamber and a steel outer jacket, and is fitted with a safety valve, water gauge, manometer and gas burner.

A194 Price, with inner chamber $19'' \times 10''$ .. **£23 10 0**
A195 Sterilizer Kettles, for dressings, $9'' \times 9''$, for use with the above.. each **35/–**
A196 Price with inner chamber, $19\frac{1}{2}'' \times 12''$ .. **£30 0 0**
A197 Sterilizer Kettles, $10\frac{3}{4}'' \times 9''$ for the above each **40/–**

A198 Where there is no gas, these Steam Sterilizers can be heated effectively by a special **blast lamp with four burners,** using paraffin oil, Price **41/–**

Electrical Heating can be arranged at a moderate increase in cost where current is available, and it is desired to use it. All enquiries should state whether current supplied is A.C. or D.C. and give the voltage.



A 199

A199 Room Couch, polished frame, well upholstered and covered with washable material. Length 6 ft. 9 ins., breadth, 2 ft. 2 ins., height 2 ft. 8 ins. The legs are round and are detachable for packing. **£8 10 0**

A200 Four-fold Screens of light wood-work with washable covers, for Ambulance Rooms, etc. .. .. each **60/–**

A201 Three-fold ditto .. .. ,, **45/–**

These screens are useful in small establishments for dividing off from general view the injured person under examination, and for various other obvious purposes.



A 202

A202 Emergency Folding Couch **35/–**

Valuable where space is limited as it folds into a package only 36″×8″×4″, weighing 15 lbs. for storage and yet available at once if wanted.

A 203

Ambulance Blankets, see page 27.

A203 Hot Water Bottles, copper, 12″×4″ .. .. each **7/6**

A204 Ditto aluminium .. ,, **5/6**

A205 Ditto, rubber, best quality, 10″×8″, **5/6**; 12″×10″ **7/–**

A206 Water Beds, best quailty grey rubber, 72″×36″ **£8 10 0**

A207 Ditto, ditto, 36″×36″ **£4 10 0**



Water Beds for Hire.

Adult size—72″×36″, **9/6** for first week, and **4/6** for each subsequent week or part of week.

Small size— 36″×36″, **6/6** for first week, and **3/6** for each subsequent week or part of week.

Hirer must pay carriage both ways.

Water Beds on hire must not be used for infectious cases except by special permission.

208

A208 Adjustable Bed Table, with reading desk **63/–**

A209 Ditto, without reading desk .. **48/–**

AMBULANCE SPLINTS

A 210

A210 Long Thigh Splints, useful for steadying the limb in fractures at or above the knee .. .. each **3/6**



A 211



A 212



A 213

A211 Leg Splints, handy for immediate application in fractures below the knee .. .. pair **11/6**

A212 Elbow Splints, hollow, adjustable wooden splints with metal hinge at the elbow, suitable for fractures of the elbow, upper arm or fore-arm in three sizes .. .. each **6/–**

A213 Plain Straight Splints, in sets of eight pairs, useful in a variety of cases. Thus they may be used to give additional steadiness with any of the above splints, or the shorter lengths may readily be adapted to such parts as the hand, wrist or foot .. .. set **4/6**



A 214

A214 Wood Splints, Set of six, with one angular and two straight connecting sockets of sheet metal in each set .. .. .. set **9/6**

A214a Wood Splints, set of five 15″ long with three straight zinc connecting pieces .. .. set **3/6**



A 215

A215 Lined Wood Splinting, in rolls of 1 sq. yard. The amount necessary for any emergency can be cut off with a knife—per yd., **10/6**; per ½ yd. **5/6**



A 216

A216 Web Strap Arm Sling 1/9

A217 Cloth Arm Slings ..
3 sizes, **2/6, 3/6, 4/6**

A 217



A 218

A218 Crutches, black double pole, with hand rests and padded head, **23/6** per pair
A219 Ditto, plain, Split wood with shaped head .. .. .. **11/6** per pair

STRETCHERS AND AMBULANCES

A 220

A220 Simple Stretcher, consisting of ash carrying poles, iron spreaders, and stout canvas, substantially made .. .. .. each **40/–**



A 221

A221 Simple Stretcher, wood frame with strong canvas nailed on, Army pattern, folding .. .. each **50/–**



A 222

A222 Brady & Martin's Improved Ambulance Stretcher, very strong and light, and the best value obtainable.

Regulation pattern used in Field Ambulance and Drill practice, etc. The poles are of **ash wood,** with a lining of narrow steel let in longitudinally, so as to give extra rigidity. The Stretcher when opened out forms a pillow automatically. The arrangements for opening out the Stretcher have been considerably improved. The hinged bars are provided with a handle instead of the old form of hinge, so that the hands are not injured. Each Stretcher has a strong **chest strap** and is provided with **one pair of wide webbing slings** with adjustable leather straps for carrying. The Stretcher feet are of malleable iron with large size boxwood wheels. The Stretcher can be quickly and closely folded up, and is very compact.

72/6 each.

A 223

A223 Ambulance Stretcher with **telescopic handles,** designed for use in confined spaces. The folding and locking arrangements are the same as in the above. Complete with **chest strap** and **wide webbing slings for carrying** **75/–**

This Stretcher is specially adapted for use in Mines or in very confined places, but for "Field" work the Stretcher A 222 is more suitable.

A224 Waterproof Cover with galvanized jointed frame to fit the above stretchers.. .. .. **40/–**

A225 Ambulance Blankets, pure wool, brown in colour, to cover patient on Stretcher, size, 6 ft. × 4 ft. 6 ins. .. .. each **12/6**

NOTE.—If the wide webbing slings with adjustable leather straps provided with the above stretchers No. A222 and No. A223 are not required, a corresponding reduction in price is made. They are, however, most useful to the men when carrying a patient.



A 226

A226 Ambulance Stretcher, with adjustable (waterproof) hood and cover on under-carriage, complete as figure. The wheels are large and substantially made of wood, and fitted with rubber tyres, and it has a walk-through cranked axle, to avoid the necessity for lifting the stretcher over the wheels. It is arranged so that the propelling handles can be dropped down to serve as supporting legs when standing still. The whole is of the best workmanship. **£26 10 0**



A 227



A 228a



A 228

A227 Ambulance Litter for taking patients short distances, cheap form, of steel with 30″ × 1″ wired on grey rubber tyred wheels, with a simple form of stretcher, folding hood and cover **£16 10 0**
Undercarriage only **£9 0 0**

A228 Lowmoor Jacket to secure the patient on a Stretcher when it is necessary for it to be placed in an upright position. For use in Mines and Ships' Holds, etc. Complete, with stout leather straps .. **55/-**

When ordering please state whether the above is for ordinary or telescopic handled stretcher.

A228a Water Bottles, substantially made in metal, felt covered, light weight, complete with leather shoulder straps, ... **10/-**

BREATHING & OXYGEN REVIVING APPARATUS



Face Mask
and
Head Straps.

The Complete Apparatus ready for use.

A 229

A229 Breathing Apparatus designed for work in **poisonous atmospheres** a comparatively short distance from fresh air, more especially for **Gas Works, Chemical Works** and **Ammonia Plant.**

The Apparatus consists of a special Face Mask, an improvement on the mouth-piece and noseclip system, and is provided with two non-return valves, one for inhaled air, and the other for exhaled air. A non-collapsible rubber cushion (detachable) gives a perfectly air-tight joint to the face. The Face Mask is secured to the head by adjustable leather straps. Two air tubes lead from the Mask over the shoulders down to the middle of the back, where they join by a screw coupling to a length (40 ft.) of Armoured Air Hose. A Waist Belt is provided, with straps to buckle in the Hose, to take the " drag " of Hose from the waist. There is thus no strain on the head, which has freedom of movement. One pair of air-tight goggles is also included in the outfit.

The whole is packed in a special box for storage (size 18″ × 18″ × 12″).

No Air-Bellows are needed, as the wearer draws his air supply through the Hose, the open end of which is placed out into fresh air, away from contaminated or poisonous atmosphere. Breathing is performed in the natural way, as no nose-clip or mouth-piece is necessary.

£6 15 0



A 230

A230 Oxygen Reviving Apparatus for use in **Ambulance Stations, Mines, Gas Works, Chemical Works, etc.,** which conform with the requirements in the **Mines Rescue and First Aid Act.** This type is for administering Oxygen by inhalation in cases where persons are "gassed" etc., and also in conjunction with Schafer's method of artificial respiration which can be performed by one person, as elastic head straps are supplied to hold the face mask to the head of the patient.

The Apparatus consists of a Cylinder of Oxygen containing 5 cubic feet, a Gauge shewing actual amount of Oxygen in the Cylinder with an **automatic** supply valve which delivers a constant 5 pint Oxygen per minute to the patient, and an Inhaler with breathing bag, metal connecting tube, two face-pieces and one mouth-piece, a strap for attaching the mask to the head, so as to leave the hands of the operator free, and a spanner completes the outfit. The Apparatus is mounted inside the lid of a strong wooden box so as to come into position for use when the lid is opened.

Complete, £11 10 0

If animation cannot be restored, artificial respiration can with advantage be resorted to, in conjunction with oxygen inhalation.

INSTRUCTIONS FOR USING THE APPARATUS.

After raising the lid, open valve of Oxygen Cylinder, and check quantity of oxygen from gauge, which when full should read 120 atmospheres. Fasten Face Mask (small for women and children, large for men), by means of head-strap if necessary, then raise lever C upwards, when automatically a quantity of oxygen will flow into the rubber bag at the rate of 5 pints per minute, from whence it is conveyed through the flexible tube to the patient.

A231 Spare Oxygen Cylinder, filled ready.. .. .. **65/–**

NOTE.—The apparatus A230 *has a regulator to deliver the Oxygen automatically, which is the best form, but a simple fine adjustment valve can be supplied instead, at a reduction in price of* **55***/.*



A 232

A232 Oxygen Reviving Apparatus. For use in cases of emergency for workmen employed in Gas Works, Chemical Works, Coke Oven Plants, Mines, Furnaces, Tar and Naphtha Distilleries, etc. It consists of large vulcanite mask with inflated rubber face piece, long connecting rubber tubing with india rubber bag for oxygen, complete with vulcanite taps, as illustrated, but without Oxygen Cylinder **£3 12 6**

COMPRESSED OXYGEN GAS
Of Special Purity for Inhalation

GENERAL INSTRUCTIONS.—Cylinders should stand with their valved end upwards when in use, and the valve should be quickly opened and closed before the fittings are screwed on. By this means the valve passage is cleared and residues of liquid or particles of solid matter which might be present in the cylinder, or valve, are prevented from being blown into the fittings with risk of damage to same. Valve outlets, and the nipples of fittings, should be cleaned and free from grit before being connected. The use of **Oil** or **Grease** of any kind for lubricating the valves, gauges, or other fittings used with compressed oxygen, must be **Strictly avoided.**

Sizes of cylinders at present available :—

	Cubic Contents in feet	Approximate external diam. in inches	Approximate length over all in inches including valve	Approximate weight in lbs. (empty)	**PRICE** of Cylinders with Valve	Coir Cover	Price of Gas per cubic foot
A233	10	4	19	13	**40/–**	**4/–**	**3d.**
A234	20	4	35	23	**50/–**	**4/6**	**3d.**
A235	40	5½	36	45	**78/–**	**6/6**	**2½d.**



A 234

A236 Fine Adjustment Regulator R .. .. extra **15/–**

A237 Valve Key K .. .. ,, **3/–**

A238 India-Rubber Tubing, for connecting to N, best quality .. .. foot **7d.**

A239 Pressure Gauge to show amount of gas in cylinder **40/–**

A240 Y Metal Fitting, to take the gauge and fine adjustment valve at the same time **9/–**

INSTRUCTIONS FOR CONNECTING FITTINGS WITH CYLINDERS.
The figure shows one of the Oxygen Cylinders (**C**) fitted with the ordinary connections for enabling the operator to draw off the gaseous contents of the cylinder as required.

First see that all the parts are clean and free from oil or grit. Screw the union (**U**) about half-way into the outlet valve (**V**), then screw the fine adjustment tap or regulator (**R**) into the union until the coned end of the regulator beds down upon the outlet of the cylinder valve. Tighten the union until the connection between the regulator and valve is quite gas-tight. See that the tap (**T**) is closed, (do not force it, however,) and then slowly open the cylinder valve by unscrewing it with the key (**K**). Two or three revolutions of the key will be sufficient. If a leakage of gas should be observed at the joint between the regulator and cylinder valve, tighten up the union. When everything is ascertained to be perfectly tight, a piece of India-rubber tubing is attached to the exit pipe (**N**) from the regulator, the tap (**K**) is turned on, and the flow of the gas then carefully adjusted to a steady uniform convenient pressure by the tap (**T**). The gas is then allowed to play upon the mouth and nostrils at the distance of about two inches, or the patient breathes directly from the tube through the mouth or nose.

CAUTION.—When the cylinder is not in use, see that the gas is turned off at the tap (K), do not on any account use force to the regulator tap (T).

Cylinders, with fittings, can be had on Hire on reasonable terms.

A 241

A241 Safety Belt Outfit for workmen and officials engaged in **Chemical Works, Ship Docks, Sewers, Gas Works,** etc., and is so made that it can be quickly placed over the shoulders and under the legs at a risky job. If a man should slip, he is supported and his fall arrested in a safe position. A crook link is provided for attachment by rope. If the workman should become gassed, he is easily dragged, carried or hoisted to safety, 90% of stress being on the legs at D, shewn in Fig. A 241. .. .. **45/-**

A242 Rope Slings, for above .. .. extra **8/6**

A243 Chain, with two hooks, for above .. „ . **12/-**

RESPIRATORS

To protect the wearer against inhaling dust from grinding, polishing, chemical fumes, etc., etc.



A 244



A 245

A244 Respirator made of Aluminium, very light, comfortable to wear and easily cleaned. The framework is perforated as shewn and has a layer of cotton wool in between giving a large surface for filtering the air from dust, etc. There is one exhaling valve and the rubber cushion fitted for contact with the face makes it comfortable in use .. .. **5/6** each ; **60/-** doz

A245 Respirator. Aluminium. The front portion is a cap containing the filtering medium, and can be easily unscrewed for the purpose of renewal. There are two exhaling valves of large size, and the frame is padded where it comes in contact with the face.. .. each **9/6**



a 246

A 247



A 248

A246 Respirator for protection against fumes or smoke, made of white moulded rubber with sponge filter, which is easily removed for cleansing—complete with large exhale valve and strong elastic head band with buckle .. .. each **6/–**

A247 Respirator, metal, for fumes or dust, with detachable front, made deeper to hold good depth of cotton wool or sponge, complete with exhale valve and cushion fitting to face .. .. .. each **8/–**

A248 Respirator for dust made of fine duplex cellular material, with filtering layer of cotton wool. The whole is washable and is provided with elastic head straps, and is light and comfortable in use.
2/– each ; **20/–** doz.



249



A 251

A 252

A249 Respirator Mask fitted with celluloid window and respirator, the latter consists of cellular material held in a pouch and easily removable for washing as required ; it is used dry for dust and damped for fumes. A very useful type and largely used in Works generally .. .. **4/6** each ; **50/–** doz.

A250 Pocket Cases for the same .. .. **1/6** „ **15/–** „

A251 Respirator Hood, made of non-porous material and fitted with aluminium air tube for connecting to hand or foot bellows. The expired air passes out at the base of the head, complete with celluloid window and neck tapes .. .. each **18/–**

A252 Splash Mask for protecting the eyes and face, made of leather cloth fitted with goggles, plain or blue glass, celluloid or wire gauze. The mouth and nose are protected by fine gauze so as not to hinder easy breathing .. .. each **9/6**

This type is specially useful for men engaged in Tar spraying and similar work.

NOTE.—Asbestos Garments, such as jackets, trousers, overalls, aprons, gloves, etc., for workmen in Alkali or Smelting Works, etc., supplied to order. Prices on application.

Gloves.—*India-rubber, leather, etc., supplied to order.*

IMPORTANT.—All Cotton Wool or Sponge used in Respirators, should be saturated with dilute solution of Caustic Soda for Acid fumes, and dilute solution of Sulphuric Acid for Alkaline fumes. For Dust, Chaffs, etc., use pure water.

Goggles and Spectacles for protecting the eyes against metal splinters, acid splashes, electric glare, etc.

A 253



A 255

A253 Goggles, leather frame work with circular flat clear glasses **1/3** each ; **14/–** doz.
A254 Ditto, ditto with blue glass .. .. .. **1/8** ,, **18/6** ,,
A255 Goggles, leather frame, large, with aluminium cups fitted with oval clear glasses, ventilated .. .. **3/6** each ; **18/6** doz.



A 256



A 257

A256 Goggles, aluminium cups, with oval clear glasses, another pattern **2/–** each ; **22/–** doz.
A257 Goggles, best quality, in stout rubber with large oval, clear glasses **2/9** each ; **28/–** doz.



A 258



A 259

A258 Goggles, with fine wire gauze sides and oval clear glasses, elastic nose bridge and head strap .. .. **1/3** each ; **14/–** doz.
A259 Spectacles, fine gauze folding sideguards, curl ear wires, nickel-plated, clear glasses .. .. **2/6** each ; **28/–** doz

A260 Ditto, with blue or smoked green glasses .. .. **3**/- each ; **34**/- doz.

NOTE.—Any of the above goggles can be supplied to order with blue or smoked green glasses at a small increased cost.

DIAGRAMS, LANTERN SLIDES & MODELS

For Ambulance Lectures

A261 Anatomical Diagrams, varnished and mounted on rollers, approximately **life size.** New series, consisting of :—(1) Human Skeleton shewing main arteries and pressure points ; (2) The General Anatomy of the Body; (3) The Systemic and Pulmonary circulation of the Blood ; (4) Section through the middle line of Head and Neck, shewing the tongue in two positions in relation to the Trachea and Schafer's method of artificial Respiration (Expiration and Inspiration) ; (5) Dislocations.

Price per set, **55**/-



A 262 No. 1.



A 262 No. 13.

" First Aid " Wall Diagrams, adopted by the **War Office,** the **Admiralty** and **British Red Cross Society,** on strong sheets, 2 ft. 2 ins. by 3 ft. 4 ins, as follows :—

No. 1. Bones and Joints, as illustration
No. 2 Muscular and Nervous Systems
No. 3. Internal Organs, in situ
No. 4. The Circulatory System
No. 5. The Respiratory System
No. 6. The Digestive System
No. 7. Digestive and Excretory Systems
No. 8. The Triangular Bandage for Head
No. 9. The Triangular Bandage for Head and Foot
No. 10. The Triangular Bandage for Shoulder and Abdomen
No. 11. The Roller Bandage
No. 12. The Roller Bandage and Bandages of Special Form
No. 13. Hæmorrhage, as illustration
No. 14. Hæmorrhage and Wounds
No. 15. Dislocations and Fractures
No. 16. Fractures
No. 17. Transport
No. 18. Transport by One, Two, or Three Bearers
No. 19. Artificial Respiration, Schaefer's Method

A262 Complete sets of 19 sheets on rollers, ... per set **45/–**

A263 Ditto, mounted on linen .. .. ,, **73/–**

A264 Special Set of 6 Diagrams, same as above adopted by the British Red Cross Society, comprising :—

Bones and Joints,
Circulatory System,
Hæmorrhage,
Hæmorrhage and Wounds,
Dislocations and fractures,
Fractures.

Mounted on linen, with roller .. .. per set **25/–**

A265 Wall Charts, printed on cardboard, 18″ × 19″, with cords for hanging :—

No. 1 Emergencies, Accidents and Poisoning,
No. 2 Fractures, Dislocations and Sprains,
No. 3 Wounds and Hæmorrages,
No. 4 Insensibility or unconsciousness.

1/6 each.



A 266

A 269

Diagrams for teaching **elementary physiology** in classes for First Aid, Hygiene, etc., each diagram measures 40″ × 30″, and is printed in colours :—

A266 No. 1.—The Skeleton. Entire figure, with 10 enlarged details or parts.

A267 No. 2.—The Muscles. Entire figure, with 6 enlarged details or parts.

A268 No. 3.—The Brain and Nervous System. Entire figure, with 10 enlarged details or parts.

A269 No. 4. The Circulation of the Blood. Entire figure, with 12 enlarged details or parts.

A270 No. 5.—The Organs of Digestion and Assimilation, in situ. With 11 enlarged details or parts.

A271 No. 6.—The Structure of the Eye. With 5 enlarged details or parts.

A272 No. 7.—The Structure of the Ear. With 8 enlarged details or parts.

A273 No. 8.—The Skin and Excretory Organs. With 9 enlarged details or parts.

Price of each diagram, mounted on calico, with rollers and varnished, **8/–** each

A274 Complete Series of 8 diagrams, as listed **56/–**



A 275

A275 Anatomical Card Model, Size 16½″×8½″ **5/6**

This Model consists of a series of Coloured Plates, bound up in book form with Explanatory Letterpress, by W. S. Furneaux.

All the parts and organs are represented by appropriately coloured and shaped pieces of heavy paper that fold into their proper place in the Model, so as to convey a correct idea of their relative size and location. The text is a condensed, yet clear description of the subject of each plate. Very useful for home study.

BOOKS RECOMMENDED.

A276 "First Aid to the Injured," by Sir James Cantlie, M.B. Post free, **1/9**

A277 "First Aid to the Injured and Sick," an advanced ambulance handbook with 301 original illustrations by E. J. Warwick, B.A., M.B., and A. C. Tunstall, M.D.C.M. .. .. Post free, **2/9**

A278 "Questions on First Aid to the injured and Sick, by Drs. Warwick and Tunstall .. .. each **1/–**

A279 **"FIRST AID" LANTERN SLIDES**

Comprising most of the Illustrations in Warwick & Tunstall's "FIRST AID TO THE INJURED AND SICK."

Plain, **2/3** net each. Some only coloured, **6**/– net each. Postage extra.

1.—The Human Skeleton, Front. (Bones Named.)
2.—The Human Skeleton, Back. (Bones Named.)
3.—Bones of the Head, Spine, Arm, Foot, Etc. (Bones Named.)
4.—The Muscular System. (Parts Named.)
5.—The Nervous System. (Parts Named.)
6.—The Thoracic and Abdominal Organs in Situ. (Parts Named.)
7.—Internal Organs in relation to Walls in Situ. Front and back. (Parts Named.)
8.—The Principal Vessels of Head, Neck, and Trunk. (Parts Named.)
9.—The Circulation of the Blood, Diagrammatic. (Parts Named.)
10.—The Heart, Blood, and Blood Vessels. (Parts Named.)
11.—The Organs of Respiration. (Parts Named.)
12.—The Digestive System. Diagrammatic. (Parts Named.)
13.—The Organs of Digestion. (Parts Named.)
14.—The Excretory Systems, Skin and Kidneys. (Parts Named.)
15.—The Triangular Bandage, Folding and Knots.
16.—The Triangular Bandage, for Head and Face.
17.—The Triangular Bandage, Large and Small Arm Slings, and for Shoulder, Arm, Elbow and Hip.
18.—The Triangular Bandage, for Chest, Back, Abdomen, Groin, Stump, and for Fixing Splints.
19.—The Triangular Bandage, for Hand and Foot.
20.—Roller Bandage for Head, Arm, and Leg.
21.—Roller Bandage for Shoulder, Chest and Hip.
22.—Special Bandages for Head and Leg, &c.
23.—Hæmorrhage: the chief Arteries, with the points of compression indicated.
24.—Hæmorrhage: Digital Compression of Arteries.
25.—Hæmorrhage, treated by Forced Flexion, &c.
26.—Hæmorrhage, treated by Tourniquets, &c.
27.—Dislocations and Fractures.
28.—Fractures of Clavicle, Treated.
29.—Fractures of Jaw and Arm, Treated.
30.—Fractures of Pelvis, Thigh, Knee, and Leg, Treated.
31.—Artificial Respiration: Sylvester's and Schafer's.
32.—Transport in Fire-Service: Fireman's Lifts.
33.—Transport in Fire Service: Improvised Stretchers and Seats.
34.—Transport by Hand, by One and Two Bearers.
35.—Transport by Hand, Two and Three Bearers.
36.—Transport Stretchers and Litters.
37.—Transport by Stretchers with 4, 5 and 6 Bearers.
38.—Transport by Stretchers, unloading with 4, 5 and 6 Bearers, and Lifting with 2 and 3 Bearers.
39.—Transport; Wagon Drill. Loading with 4, 5 and 6 Bearers.
40.—Wagon Drill. Unloading, Goods Wagon, Motor Ambulances, &c. Lifting Wounded Man off Horse.



A 280

A280 **Fine** and perfect articulated **Human Skeleton** **£12 12 0**

A281 **Upright Wood Case** with hinged door, fitted with lock and key, together with movable stout wood base on castors, with vertical iron rod arranged to hold the Skeleton. **Price on application.**

PHYSIOLOGICAL MODELS



3111



3113



3112

3111 **Eye, model of,** showing optic nerve, muscles, &c. **30/-**

3112 **Ear,** a model of the internal ear, showing on removal of section the arrangements of the bones, nerves, membranes, &c., all dismountable **37/6**

3113 **A Model of Head,** natural size, vertical section, showing the bones of the skull, cavities, cerebrum, cerebellum, and medulla oblongata, nasal cavity, trachea, tongue, palate, œsophagus, &c .. **22/6**

3114

3115

3114 **Brain,** a model showing sinuses and convolutions, also arrangement of the blood vessels and nerves. On removing various sections of the model, the internal formation of the brain is most accurately shown **35/-**

3115 **A Model of Heart,** enlarged, showing externally the arrangement of the auricles and ventricles, &c. On taking to pieces, the internal structure and arrangement of the valves are clearly shown **50/-**

Models of other parts of Human Body can be supplied.

ARTIFICIAL LIMBS

ARTIFICIAL LIMBS of all kinds are supplied by Brady & Martin Ltd. The greatest possible pains are taken to ensure an accurate fit. In the manufacture of artificial limbs the most important consideration is the **art of fitting,** and in this our extensive experience enables us to secure the maximum of usefulness to the limb with the greatest comfort to the wearer. In all cases it is highly desirable that persons requiring help of this kind should come to us both for preliminary measurements and fitting, so that all details may receive proper attention.

It is not our common practice to publish letters received from people to whom we have supplied artificial limbs, but the following extracts from communications recently received may be interesting.

HANDS :—

"Received the artificial hand this morning, delighted with it, and shall recommend you to all I have the chance."

"Miss . . . . has called here to-day to show her artificial hand. She is delighted with it : it is a beautiful piece of workmanship."

ARMS :—

"I am writing you these few lines to let you know I have received the arm all right. I am writing this with the right artificial hand ; both are a good fit."

FEET :—

"Received foot all right, and well pleased with it, it fits well."

"I received the foot all right . . . . am pleased to say you have made a remarkably good job of it."

LEGS :—

"We have received the boy's artificial leg and it gives every satisfaction."

"Received the leg on Saturday which I thank you very much for ; I am highly satisfied with it. I am sure whenever I need another I will place the order with you."

"I beg to inform you that I received the leg. I am very much pleased with it and wish to thank you for it."

BRADY & MARTIN LTD.

NORTHUMBERLAND ROAD

NEWCASTLE-UPON-TYNE

BRADY & MARTIN, LTD.

Northumberland Road

NEWCASTLE-UPON-TYNE.

Front and Bird's-eye View of Brady & Martin's Show Rooms, Manufacturing Laboratories and Workshops, at Northumberland Road.